



TRANSMITTAL LETTER
(General - Patent Pending)

Docket No.
SEC.1145

In Re Application Of: Young-Lae KIM

Application No.	Filing Date	Examiner	Customer No.	Group Art Unit	Confirmation No.
10/821,890	12 April 2004	Tara S. Pajoohi	20987	2112	2497

Title: ALIGNMENT MEASURING SYSTEM AND METHOD OF DETERMINING ALIGNMENT IN A
PHOTOLITHOGRAPHY PROCESS

COMMISSIONER FOR PATENTS:

Transmitted herewith is:

Amendment under 37 C.F.R. § 1.11

in the above identified application.

- ☒ No additional fee is required.
- ☐ A check in the amount of _____ is attached.
- ☐ The Director is hereby authorized to charge and credit Deposit Account No. _____ as described below.
- ☐ Charge the amount of _____
- ☐ Credit any overpayment.
- ☐ Charge any additional fee required.
- ☐ Payment by credit card. Form PTO-2038 is attached.

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Signature

Dated: 29 January 2007

KENNETH D. SPRINGER
Reg. No. 39,843
Volentine & Whitt, P.L.L.C.
One Freedom Square
11951 Freedom Drive, Suite 1260
Reston, VA 20190
Tel. No. 571-283-0720

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the "Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)] on

(Date)

Signature of Person Mailing Correspondence

Typed or Printed Name of Person Mailing Correspondence

CC:



Application No. 10/821,890
SEC.1145
Amendment dated 29 January 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent application of :
Young-Lae KIM : Group Art Unit 2112
Application No. 10/821,890 : Examiner Tara S. PAJOOHI
Filed 12 April 2004 :

ALIGNMENT MEASURING SYSTEM AND
METHOD OF DETERMINING ALIGNMENT IN A PHOTOLITHOGRAPHY
PROCESS

AMENDMENT UNDER 37 C.F.R. § 1.111

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

In response to the Office Action of 27 October 2006, the period for response to which extends through 27 January 2007, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Remarks begin on page 4 of this paper.